

**WESTUL**<sup>®</sup>  
PROFESSIONALITÄT

**WESTUL**<sup>®</sup>  
PROFESSIONALITÄT

**WESTUL**<sup>®</sup>  
PROFESSIONALITÄT



NEW  
PRODUCTS

浙江威斯托贸易有限公司

Zhejiang Westul Trading Co.,Ltd.

浙江省金华市婺城区永康街477号,  
金华之心数字经济产业园5号楼B座4/5层

4/5F, Building 5B, Jinhua Digital Economy Industrial  
Park No. 477 Yongkang Street, Wucheng District,  
Jinhua 321000, China

E-Mail:sales@westul.cn

<http://www.westul.cn>

**WESTUL**<sup>®</sup>  
PROFESSIONALITÄT

**WESTUL**<sup>®</sup>  
PROFESSIONALITÄT



**20V**<sub>MAX</sub> LITHIUM-ION

**ONE**  
BATTERY FITS ALL

**4V**<sub>MAX</sub>  
LITHIUM-ION





Cordless Drill/Driver  
WT-CDD30N-B

p3



Cordless Heat Gun  
WT-CHG300-20

p11



Brushless HVLP Sprayer  
WT-PHD0118

p19



Brushless Drill/Driver  
WT-CDD45N-BL

p4



Cordless Heat Gun  
WT-CHG300-LED

p12




Cordless HVLP Sprayer  
WT-PHD2420

p20



Brushless Hammer Drill  
WT-CHD50N-BL

p5




Brushless  
7-1/4inch Circular Saw  
WT-CCS185D-BL

p13



Cordless Screwdriver  
WT-CSD4V-L-A

p21




Brushless Drill/Drive  
WT-CDD80N-BL

p6



Brushless Angle Grinder  
WT-CAG125D-BL

p14



Cordless Screwdriver  
WT-CSD4V-L-B

p22



Brushless Hammer Drill  
WT-CHD80N-BL

p7



Brushless  
Reciprocating Saw  
WT-CRS26L-BL

p15



Cordless Mini Screwdriver  
WT-CSD4V-H

p23



Brushless Impact Driver  
WT-CID200N-BL

p8



Brushless Jig Saw  
WT-CJS26L-BL

p16




Laser Dust Collector  
WT-CDCL4-L

p24



Brushless Impact Wrench  
WT-CIW300N-BL

p9



Brushless Orbital Sander  
WT-CSA125D-BL

p17



Brushless Impact Wrench  
WT-CIW600N-BL

p10



Cordless Working Light  
WT-CWL160LM

p18

## Tools & Battery & Charger

### Features

- ✓ Over-discharge protection
- ✓ Over-load protection
- ✓ Over-temperature protection



Over-charge protection

## DC BATTERY + charger

**20V Lithium-Ion 2.0Ah 40Wh**  
Charge time: 1 hour

**20V Lithium-Ion 4.0Ah 80Wh**  
Charge time: 2 hours



Input: 100-240VAC 65W 50Hz/60Hz Output: 20.5VDC 2.6A

## Cordless Drill/Driver WT-CDD30N-B



rpm 0-400/0-1450RPM 20V

MAXIMUM TORQUE: 30N.m

### Features

- ✔ Two-speed gear adjustment
- ✔ 19 gears torque adjustment
- ✔ LED Light
- ✔ Forward and reverse switching
- ✔ Variable speed switch
- ✔ Laser texture soft grip

### Specifications

Motor	550 brushed motor
No load speed	0-400/0-1450 RPM
Torque setting	19
Max torque	30 N.m
Chuck size	0.8-10 mm
Weight	895g
Packing size	31.5 x 20.5 x 8.8cm
Q'ty of 20'/40'/40'HQ	3800 / 7600 / 9200

### Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V** LITHIUM-ION

## Brushless Drill/Drive WT-CDD45N-B



rpm 0-500/0-1550RPM 20V

MAXIMUM TORQUE: 45N.m

### Features

- ✔ Two-speed gear adjustment
- ✔ 21 gears torque adjustment
- ✔ LED Light
- ✔ Forward and reverse switching
- ✔ Variable speed switch
- ✔ Laser texture soft grip

### Specifications

Motor	3820 brushless motor
No load speed	0-500/0-1550 RPM
Torque setting	21
Max torque	45 N.m
Chuck size	1.5-13 mm
Weight	900g
Packing size	31.5 x 20.5 x 8.8cm
Q'ty of 20'/40'/40'HQ	3800 / 7600 / 9200

### Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V** LITHIUM-ION

## Brushless Hammer Drill WT-CHD50N-BL

**BRUSHLESS**  
Motor



rpm 0-400/0-2200RPM 20V

MAXIMUM TORQUE: 50N.m

### Features

- Two-speed gear adjustment
- 20+3 gears torque adjustment
- LED Light
- Forward and reverse switching
- Variable speed switch
- Laser texture soft grip

### Specifications

Motor	4818 brushless motor
No load speed	0-400/0-2200 RPM
Impact frequency	0-6000/0-33000 BPM
Torque setting	20+3
Max torque	50 N.m
Chuck size	1.5-13 mm
Weight	1115g
Packing size	31.5 x 20.5 x 8.8cm
Q'ty of 20'/40'/40'HQ	3800 / 7600 / 9200

### Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V** LITHIUM-ION

## Brushless Drill/Drive WT-CHD80N-BL

**BRUSHLESS**  
Motor



rpm 0-500/0-1800RPM 20V

MAXIMUM TORQUE: 80N.m

### Features

- Two-speed gear adjustment
- 21 gears torque adjustment
- LED Light
- 13mm metal chuck
- Forward and reverse switching
- Variable speed switch
- Soft rubber anti-slip handle
- Laser texture soft grip

### Specifications

Motor	4825 brushless motor
No load speed	0-500/0-1800 RPM
Torque setting	21
Max torque	80 N.m
Chuck size	1.5-13 mm
Drilling capacity	Wood: 40mm Metal: 13mm
Weight	1510g
Packing size	47.5 x 35.5 x 26.5cm
Q'ty of 20'/40'/40'HQ	2875 / 5995 / 7495

### Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V** LITHIUM-ION

## Brushless Hammer Drill WT-CHD80N-BL



**BRUSHLESS**  
Motor

rpm	0-500/0-1800RPM	20V
MAXIMUM TORQUE: 80N.m		

### Features

- ✓ Two-speed gear adjustment
- ✓ 20+3 gears torque adjustment
- ✓ LED Light
- ✓ 13mm metal chuck
- ✓ Forward and reverse switching
- ✓ Variable speed switch
- ✓ Soft rubber anti-slip handle
- ✓ Laser texture soft grip

### Specifications

Motor	4825 brushless motor
No load speed	0-500/0-1800 RPM
Impact frequency	0-7500/0-27000 BPM
Torque setting	20+3
Max torque	80 N.m
Chuck size	1.5-13 mm
Drilling capacity	Wood: 40mm Metal: 13mm Masonry: 13mm
Weight	1610g
Packing size	47.5 x 35.5 x 26.5cm
Q'ty of 20'/40'/40'HQ	2875 / 5995 / 7495

### Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V** LITHIUM-ION

## Brushless Impact Driver WT-CID200N-BL

**BRUSHLESS**  
Motor



rpm	0-1000/0-2200/ 0-2850 RPM	20V
MAXIMUM TORQUE: 200N.m		

### Features

- ✓ Full metal gear box
- ✓ 1/4 inch hex chuck
- ✓ LED Light
- ✓ Scald-proof rubber sleeve
- ✓ Forward and reverse switching
- ✓ Variable speed switch
- ✓ Laser texture soft grip

### Specifications

Motor	4815 brushless motor
No load speed	0-1000/0-2200/0-2850 RPM
Impact frequency	0-3200 IPM
Speed setting	3
Max torque	200 N.m
Output shaft	1/4" hex
Weight	1095g
Packing size	31.5 x 20.5 x 8.8cm
Q'ty of 20'/40'/40'HQ	3800 / 7600 / 9200

### Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V** LITHIUM-ION

## Brushless Impact Wrench WT-CIW300N-BL



Laser texture soft grip

rpm 0-1000/0-2200/  
0-2850 RPM 20V

MAXIMUM TORQUE: 300N.m

### Features

- ✓ Full metal gear box
- ✓ 1/2 inch square shaft
- ✓ LED Light
- ✓ Scald-proof rubber sleeve
- ✓ Forward and reverse switching
- ✓ Variable speed switch
- ✓ Laser texture soft grip

### Specifications

Motor	4815 brushless motor
No load speed	0-1000/0-2200/0-2850 RPM
Impact frequency	0-3200 IPM
Speed setting	3
Max torque	300 N.m
Output shaft	1/2" square head
Weight	1100g
Packing size	31.5 x 20.5 x 8.8cm
Q'ty of 20'/40'/40'HQ	3800 / 7600 / 9200

### Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V** LITHIUM-ION

## Brushless Impact Wrench WT-CIW600N-BL



Laser texture soft grip



rpm 0-1800/0-2300/  
0-2800 RPM 20V

MAXIMUM TORQUE: 600N.m

### Features

- ✓ Full metal gear box
- ✓ 1/2 inch square shaft
- ✓ LED Light
- ✓ Scald-proof rubber sleeve
- ✓ Forward and reverse switching
- ✓ Variable speed switch
- ✓ Laser texture soft grip
- ✓ Loose turn automatic stop system

### Specifications

Motor	5215 brushless motor
No load speed	0-1800/0-2300/0-2800 RPM
Impact frequency	0-3000 IPM
Speed setting	3
Max torque	600 N.m
Output shaft	1/2" square head
Weight	1450g
Packing size	26 x 15 x 8 cm
Q'ty of 20'/40'/40'HQ	




### Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V** LITHIUM-ION

**Cordless Heat Gun**  
**WT-CHG300-20**



 260L/min	 20V
 I: 300°C II: 550°C	



**Features**

- ✓ Afe to replace the hot nozzle
- ✓ Quick to change the nozzlesfor differnt use
- ✓ LED Light
- ✓ Laser texture soft grip

**Specifications**

Motor	Brushed motor
Max Power	300W
Temperature range	I: 300°C II: 550°C
Air flow	260L/min
Weight	500g
Packing size	31 x 21.5 x 9.5cm
Q'ty of 20'/40'/40'HQ	3845 / 8045 / 8850




**Unit Price**

Bare machine	BMC		
2.0Ah battery	Quick charger		
4.0Ah battery			

**20V** LITHIUM-ION

**Cordless Heat Gun**  
**WT-CHG300-LED**



 260L/min	 20V
 100°C, 200°C, 300°C, 400°C, 550°C	



**Features**

- ✓ Afe to replace the hot nozzle
- ✓ Quick to change the nozzlesfor differnt use
- ✓ LED Light
- ✓ Laser texture soft grip

**Specifications**

Motor	Brushed motor
Max Power	300W
Temperature range	100°C, 200°C, 300°C, 400°C, 550°C
Air flow	260L/min
Weight	500g
Packing size	31 x 21.5 x 9.5cm
Q'ty of 20'/40'/40'HQ	3845 / 8045 / 8850


**Unit Price**

Bare machine	BMC		
2.0Ah battery	Quick charger		
4.0Ah battery			

**20V** LITHIUM-ION



**Brushless 7-1/4inch Circular Saw**  
**WT-CCS185D-BL**



Laser texture soft grip

rpm 5500RPM

20V

Ø185mm\* Ø20mm

**Features**

- ✓ Dust discharge interface
- ✓ Depth adjustment
- ✓ Lower guard
- ✓ LED lighting
- ✓ Soft rubber anti-slip handle
- ✓ Angle adjustment
- ✓ Laser texture soft grip

**Specifications**

Motor	6030 brushless motor
No load speed	5500 RPM
Blade size	Ø185mm*Ø20mm
Cutting depth	65mm at 90°, 48mm at 45°
Beveling capacity	57°
Weight	3600g
Packing size	44 x 36.5 x 33.5cm
Q'ty of 20'/40'/40'HQ	1090 / 2266 / 2590

**Unit Price**

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V LITHIUM-ION**


**Brushless Angle Grinder**  
**WT-CAG125D-BL**



rpm 9000RPM

20V

Ø115mm/ Ø125mm\* Ø22mm



Laser texture soft grip

**Features**

- ✓ Durable head shell
- ✓ Spindle lock
- ✓ Vent heat dissipation
- ✓ Soft rubber anti-slip handle
- ✓ Push switch
- ✓ Soft rubber auxiliary handle
- ✓ Laser texture soft grip

**Specifications**

Motor	5225 brushless motor
No load speed	9000RPM
Blade diameter	Ø115mm/ Ø125mm* Ø22mm
Flange nut	M14
Weight	1950g
Packing size	44.5 x 36.5 x 25cm
Q'ty of 20'/40'/40'HQ	2804 / 5612 / 6236

**Unit Price**

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V LITHIUM-ION**

**Brushless Reciprocating Saw**  
**WT-CRS26L-BL**



rpm 0-3000 SPM

20V

STROKE LENGTH: 25.4mm

Laser texture soft grip

**Features**

- ✓ Pivoting shoe
- ✓ LED Light
- ✓ Variable speed switch
- ✓ Vent heat dissipation
- ✓ Quick blade change
- ✓ Laser texture soft grip
- ✓ Soft rubber anti-slip handle

**Specifications**

Motor	5020 brushless motor
No load speed	0-3000 SPM
Stroke length	25.4mm
Max cutting capacity	Wood:180mm
	Steel:15mm
Weight	1745g
Packing size	41 x 8 x 17cm
Q'ty of 20'/40'/40'HQ	

**Unit Price**

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V** LITHIUM-ION

**Brushless Jig Saw**  
**WT-CJS26L-BL**



rpm 0-3200 SPM

20V

STROKE LENGTH: 26mm

Laser texture soft grip

**Features**

- ✓ Variable speed dial
- ✓ Variable switch
- ✓ Steel wire guard
- ✓ Overmould soft handle
- ✓ Adjustable base plate
- ✓ Straight line cutting +3 speed track cutting
- ✓ Quick blade change
- ✓ Laser texture soft grip

**Specifications**

Motor	4825 brushless motor
No load speed	0-3200 SPM
Stroke length	26mm
Bevel cutting angle	+/-45°
Speed setting	6
Weight	2400g
Packing size	23 x 8.5 x 22.5cm
Q'ty of 20'/40'/40'HQ	/

**Unit Price**

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V** LITHIUM-ION

## Brushless Orbital Sander WT-CSA125D-BL



Laser texture soft grip

7000-12000 OPM	20V
Disc diameter: 125mm	

### Features

- ✓ On/off switch
- ✓ Soft rubber anti-slip handle
- ✓ Variable speed dial
- ✓ Vent heat dissipation
- ✓ Hook and loop pad
- ✓ Dust bag
- ✓ Laser texture soft grip

### Specifications

Motor	4812 brushless motor
No load speed	7000-12000 OPM
Speed setting	6
Eccentric distance	2.8mm
Disc diameter	125mm
Weight	945g
Packing size	24 x 22.5 x 15cm
Q'ty of 20'/40'/40'HQ	/

### Unit Price

Bare machine		BMC	
2.0Ah battery		Quick charger	
4.0Ah battery			

**20V** LITHIUM-ION

## Cordless Working Light WT-CWL160LM



Laser texture soft grip

5W	20V
BRIGHT LED OUTPUT: 160/350lm	

### Features

- ✓ LED light
- ✓ Hook
- ✓ Power/Two level brightness adjustment
- ✓ Soft rubber anti-slip handle
- ✓ Lithium battery pack
- ✓ Laser texture soft grip

### Specifications

Power source	Battery Powered
Light source type	LED
Max power	5W
Bright led output	160/350lm
Head rotates angle	- 5~130°
Weight	255 g
Packing size	22 x 12 x 8cm
Q'ty of 20'/40'/40'HQ	/

### Unit Price

Bare machine		BMC	
2.0Ah battery		Quick charger	
4.0Ah battery			

**20V** LITHIUM-ION

## Cordless HVLP Sprayer WT-PHD2420



Copper nozzles

800 ml/min 20V

MAX. VISCOSITY: 120 DIN/SEC



### Features

- Quick release function for easy clean
- Multiple spraying patterns
- Plastic or copper nozzles for choices
- Quick filter change
- Lithium battery pack

### Specifications

Rated Voltage	20V DC
Paint Reservoir	1000 ml
Nozzle	Φ1.8 / 2.6 mm (copper)
Max. Flow rate	800 ml/min
Max. Viscosity	120 Din/sec
Battery capacity	4.0 Ah
Weight	2000g
Packing size	30 x 13 x 30.5cm
Q'ty of 20'/40'/40'HQ	2152 / 4112 / 4700

### Unit Price

Bare machine	BMC	
4.0Ah battery	Quick charger	

**20V** LITHIUM-ION

## Brushless HVLP Sprayer WT-PHD0118



Copper nozzles

1000 ml/min 20V

MAX. VISCOSITY: 120 DIN/SEC



### Features

- Quick release function for easy clean
- Multiple spraying patterns
- Plastic or copper nozzles for choices
- Quick filter change
- Lithium battery pack

### Specifications

Rated voltage	20V DC
Paint reservoir	800 ml
Nozzle	Φ1.8 / 2.6 mm (copper)
Max. Flow rate	1000 ml/min
Max. Viscosity	120 Din/sec
Battery capacity	2.0 Ah or 4.0 Ah
Weight	2100g
Packing size	30 x 13 x 30.5cm
Q'ty of 20'/40'/40'HQ	2152 / 4112 / 4700

### Unit Price

Bare machine	BMC	
2.0Ah battery	Quick charger	
4.0Ah battery		

**20V** LITHIUM-ION

## Cordless Screwdriver-LED WT-CSD4V-L-A



270 RPM	4V
TORQUE: 3Nm(soft) / 5Nm(hard)	

### Features

- ✓ Battery power display
- ✓ 1/4 inch magnetic chuck
- ✓ 3 LED lighting
- ✓ Forward and reverse switching
- ✓ Soft rubber anti-slip handle
- ✓ On/off switch
- ✓ Conveniently charges via USB-C port

### Specifications

Voltage	4V
Motor	380 brushed motor
No load speed	270 RPM
Head style	1/4" magnetic bit holder
Torque	3 N.m(soft) / 5 N.m(hard)
Lithium-Ion battery	2000mAh
Weight	420g
Packing size	16.5 x 13 x 5.5 cm
Q'ty of 20'/40'/40'HQ	19020 / 39180 / 44780

### Unit Price

Color box		BMC	

## Cordless Screwdriver-LCD WT-CSD4V-L-B



270 RPM	4V
TORQUE: 3Nm(soft) / 5Nm(hard)	

### Features

- ✓ Battery power digital display
- ✓ 1/4 inch magnetic chuck
- ✓ 3 LED lighting
- ✓ Forward and reverse switching
- ✓ Soft rubber anti-slip handle
- ✓ On/off switch
- ✓ Conveniently charges via USB-C port

### Specifications

Voltage	4V
Motor	380 brushed motor
No load speed	270 RPM
Head style	1/4" magnetic bit holder
Torque	3 N.m(soft) / 5 N.m(hard)
Lithium-Ion battery	2000mAh
Weight	420g
Packing size	16.5 x 13 x 5.5 cm
Q'ty of 20'/40'/40'HQ	19020 / 39180 / 44780

### Unit Price

Color box		BMC	

## Laser Dust Collector WT-CDCL4-L



 4V

 Ø 13mm



### Features

- ✓ Dust free drilling
- ✓ Double bubble laser level
- ✓ Laser light switch
- ✓ Protective cover
- ✓ Power on/off switch
- ✓ Automatic adsorption
- ✓ Conveniently charges via USB-C port

### Specifications

Voltage	4V
Drill bit max diameter	Ø13mm
Lithium-Ion battery	2000mAh
Weight	250g
Packing size	18.5 x 8.5 x 6.5cm
Q'ty of 20'/40'/40'HQ	33560 / 69960 / 83960

### Unit Price

Color box		BMC	

## Cordless Mini Screwdriver WT-CSD4V-H

 270 RPM

 4V

 TORQUE: 3Nm(soft)/5Nm(hard)



Laser texture  
soft grip



### Features

- ✓ 1/4 inch magnetic chuck
- ✓ 4-gear electronic torque adjustment
- ✓ 2 LED lighting
- ✓ Forward and reverse switching
- ✓ Soft rubber anti-slip handle
- ✓ Work light/flashlight switching
- ✓ Conveniently charges via USB-C port

### Specifications

Voltage	4V
Motor	380 brushed motor
No load speed	270 RPM
Head style	1/4" magnetic bit holder
Torque	3 N.m(soft) / 5 N.m(hard)
Lithium-Ion battery	2000mAh
Weight	400g
Packing size	5 x 6 x 20cm
Q'ty of 20'/40'/40'HQ	41550 / 85440 / 93210

### Unit Price

Color box		BMC	